




Technical file

EVENT VENUE



Joule Room

A/V Infrastructure

- **LED Wall:** Large screen with dimensions of 3.84m x 2.16m (174 inches), 2.5 mm pixel pitch
- **Audio System:** Line Array stereo speakers with dual subwoofers
- **Microphones:** 4 handheld microphones, with additional options available upon request (headset, lavalier)
- **Audio Mixer:** Yamaha digital mixer with Cannon, TRS, and USB inputs
- **Slide Controller**
- **Control Room PC:** For content delivery (Supported formats: PPTX, PPT, PDF, MKV, M4V, JPG, PNG)
- **Timer Monitor**
- **Teleprompter/Clone Screen:** (Available only with Atem control room setup)

Video Inputs

- Direct input: 1920x1080 resolution
- Barco ClickShare: 1920x1080 resolution (Supported formats: PPTX, PPT, PDF, MKV, M4V, JPG, PNG)
- Atem Blackmagic Control Room: Ultra HD resolution (Inputs: SDI 3G/SDI 12G, HDMI)

Digital Signage

- LED Wall for signage mode: 1920x1080 or Ultra HD resolution (Supported formats: M4V, JPG, PNG)
- Entrance Totem with Cariplo Factory branding, optional unbranded shell: 1080x1920 resolution (Supported formats: M4V, JPG, PNG)

Lighting

- 4 LED spotlights for the screen
- 2 lateral LED spotlights
- Lighting mixer

Connectivity

- WiFi with registration via Captive Portal
- Customizable SSID options available upon request



Arena Room

A/V Infrastructure

- Video Wall: 3x3 grid with 9 panels (165 inches total)
- Audio System: Line Array stereo speakers with dual subwoofers
- Charging Station: USB-C, Mini-USB, Apple Lightning, and 230V international sockets
- Microphones: 4 handheld microphones, with additional options available upon request (headset, lavalier)
- Audio Mixer: With Cannon, TRS, and USB inputs
- Slide Controller
- Control Room PC: For content delivery (Supported formats: PPTX, PPT, PDF, MKV, M4V, JPG, PNG)
- Timer Monitor
- Teleprompter/Clone Screen: (Available only with Atem Blackmagic control room setup)

Video Inputs

- Direct input: 1920x1080 resolution
- Barco ClickShare: 1920x1080 resolution (Supported formats: PPTX, PPT, PDF, MKV, M4V, JPG, PNG)
- Atem Blackmagic Control Room: Ultra HD resolution (Inputs: SDI 3G/SDI 12G, HDMI)

Digital Signage

- 3 Column Monitors: 540x1920 resolution (Supported formats: M4V, JPG, PNG)
- Reception Monitor: 75-inch Ultra HD screen (1920x1080 or Ultra HD resolution, Supported formats: M4V, JPG, PNG)
- Entrance Totem with Cariplo Factory branding, optional unbranded shell: 1080x1920 resolution (Supported formats: M4V, JPG, PNG)
- Video Wall can be used in signage mode before the event (1920x1080 or Ultra HD resolution, Supported formats: M4V, JPG, PNG)

Lighting

- Dual 1000W spotlights for the screen

Connectivity

- WiFi with registration via Captive Portal
- Customizable SSID options available upon request



Acciaio Room – meeting room

A/V Infrastructure

- Monitor: 75-inch Ultra HD screen (1920x1080 or Ultra HD resolution, Supported formats: M4V, JPG, PNG)

Video Inputs:

- Barco ClickShare: Up to 2 buttons, 1920x1080 resolution (Supported formats: PPTX, PPT, PDF, MKV, M4V, JPG, PNG)

Connectivity:

- WiFi with registration via Captive Portal
- Customizable SSID options available upon request

Telephony/Collaboration:

- Cisco 8831 conference phone with dedicated number
- Cisco SX10 conference kit with external noise-canceling microphone



Ghisa & Carbonio – meeting room

A/V Infrastructure

- Monitor: 75-inch screen
- Microphones: Dual noise-canceling microphones
- Camera: PTZ camera, user-controllable

Telephony/Collaboration

- Logic Rally Teams Kit (native Microsoft Teams integration)

Video Inputs

- HDMI input (adapter required)

Connectivity

- WiFi with registration via Captive Portal
- Customizable SSID options available upon request

